

Publications F.Tirone

1. Dellavedova L, Parenti M, **Tirone** F, Groppetti A. 1982. Interactions between serotonergic and enkephalinergic neurons in rat striatum and hypothalamus. *Eur J Pharmacol.* 85:29-34.
2. **Tirone** F. 1983. Analisi della covarianza con comparazioni multiple fra gruppi: un programma per il minicomputer TI-59. *Rivista di Statistica Applicata*, 16: 310-315.
3. Parenti M, Gazzotti G, **Tirone** F, Groppetti A. 1983. Opiate tolerance and dependence is associated with a decreased activity of GTPase in rat striatal membranes. *Life Sci.* 33 Suppl 1:345-348.
4. Graziani G, **Tirone** F, Barbadoro E, Testa R. 1983. Denzimol, a new anticonvulsant drug. I. General anticonvulsant profile. *Arzneimittelforschung.* 33:1155-1160.
5. Parenti M, **Tirone** F, Olgiati VR, Groppetti A. 1983. Presence of opiate receptors on striatal serotonergic nerve terminals. *Brain Res.* 280:317-322.
6. Groppetti A, Parenti M, Dellavedova L, **Tirone** F. 1984. Possible involvement of endogenous opiates in the tolerance to the anorectic effect of fenfluramine. *J Pharmacol Exp Ther.* 228:446-453.
7. **Tirone** F, Parenti M, Groppetti A. 1985. Opiate and dopamine stimulate different GTPase in striatum: evidence for distinct modulatory mechanisms of adenylate cyclase. *J Cyclic Nucleotide Protein Phosphor Res.* 10:327-339.
8. Bestetti G, Locatelli V, **Tirone** F, Rossi GL, Muller EE. 1985. One month of streptozotocin-diabetes induces different neuroendocrine and morphological alterations in the hypothalamo-pituitary axis of male and female rats. *Endocrinology* 117:208-216.
9. Parenti M, **Tirone** F, Giagnoni G, Pecora N, Parolaro D. 1986. Pertussis toxin inhibits the antinociceptive action of morphine in the rat. *Eur J Pharmacol.* 124:357-359.
10. **Tirone** F, Vigano A, Groppetti A, Parenti M. 1988. Effects of the desensitization by morphine of the opiate-dependent adenylate cyclase system in the rat striatum on the activity of the inhibitory regulatory G protein. *Biochem Pharmacol.* 37:1039-1044.
11. **Tirone** F, Shooter EM. 1989. Early gene regulation by nerve growth factor in PC12 cells: induction of an interferon-related gene. *Proc Natl Acad Sci U S A.* 86:2088-2092.
12. Bradbury A, Possenti R, Shooter EM, **Tirone** F. 1991. Molecular cloning of PC3, a putatively secreted protein whose mRNA is induced by nerve growth factor and depolarization. *Proc Natl Acad Sci U S A.* 88:3353-3357.
13. Guardavaccaro D, Montagnoli A, Ciotti MT, Gatti A, Lotti L, Di Lazzaro C, Torrisi MR, **Tirone** F. 1994. Nerve growth factor regulates the subcellular localization of the nerve growth factor-inducible protein PC4 in PC12 cells. *J Neurosci Res.* 37:660-674.
14. Iacopetti P, Barsacchi G, **Tirone** F, Maffei L, Cremisi F. 1994. Developmental expression of PC3 gene is correlated with neuronal cell birthday. *Mech Dev.* 47:127-137.
15. Guardavaccaro D, Ciotti MT, Schafer BW, Montagnoli A, **Tirone** F. 1995. Inhibition of differentiation in myoblasts deprived of the interferon-related protein PC4. *Cell Growth Differ.* 6:159-169.
16. Iacopetti P, Barsacchi G, **Tirone** F, Cremisi F. 1996. Expression of the PC4 gene in the developing rat nervous system. *Brain Res.* 707:293-297.
17. Montagnoli A, Guardavaccaro D, Starace G, **Tirone** F. 1996. Overexpression of the nerve growth factor-inducible PC3 immediate early gene is associated with growth inhibition. *Cell Growth Differ.* 7:1327-1336.
18. Buanne P, Incerti B, Guardavaccaro D, Avvantaggiato V, Simeone A, **Tirone** F. 1998. Cloning of the human interferon-related developmental regulator (IFRD1) gene coding for the PC4 protein, a member of a novel family of developmentally regulated genes. *Genomics.* 51:233-242.
19. Guardavaccaro D, Corrente G, Covone F, Micheli L, D'Agnano I, Starace G, Caruso M, **Tirone** F. 2000. Arrest of G(1)-S progression by the p53-inducible gene PC3 is Rb dependent and relies on the inhibition of cyclin D1 transcription. *Mol Cell Biol.* 20:1797-1815. **IMPACT FACTOR:** 5.527.

20. Buanne P, Corrente G, Micheli L, Palena A, Lavia P, Spadafora C, Lakshmana MK, Rinaldi A, Banfi S, Quarto M, Bulfone A, **Tirone F**. 2000. Cloning of PC3B, a novel member of the PC3/BTG/TOB family of growth inhibitory genes, highly expressed in the olfactory epithelium. *Genomics*. 68:253-263.
21. **Tirone F**. 2001. The gene PC3(TIS21/BTG2), prototype member of the PC3/BTG/TOB family: regulator in control of cell growth, differentiation, and DNA repair? *J Cell Physiol*. 187:155-165. Review. IMPACT FACTOR: 4.313.
22. Gaitanou M, Buanne P, Pappa C, Georgopoulou N, Mamalaki A, **Tirone F**, Matsas R. 2001. Cloning, expression and localization of human BM88 shows that it maps to chromosome 11p15.5, a region implicated in Beckwith-Wiedemann syndrome and tumorigenesis. *Biochem J*. 355:715-724.
23. Corrente G, Guardavaccaro D, **Tirone F**. 2002. PC3 potentiates NGF-induced differentiation and protects neurons from apoptosis. *Neuroreport* 13:417-422.
24. Canzoniere D, Farioli-Vecchioli S, Conti F, Ciotti MT, Tata AM, Augusti-Tocco G, Mattei E, Lakshmana MK, Krizhanovsky V, Reeves SA, Giovannoni R, Castano F, Servadio A, Ben-Arie N, **Tirone F**. 2004. Dual control of neurogenesis by PC3 through cell cycle inhibition and induction of Math1. *J Neurosci*. 24:3355-3369. IMPACT FACTOR: 7.115
25. Micheli L., Leonardi L., Conti F., Buanne P., Canu N., Caruso M., and **Tirone F**. 2005. PC4 co-activates MyoD by relieving the HDAC4-mediated inhibition of MEF2C. *Mol. Cell. Biol.*, 25:2242-2259. IMPACT FACTOR: 5.527.
26. Passeri D, Marcucci A, Rizzo G, Billi M, Panigada M, Leonardi L, **Tirone F**, Grignani F. 2006. Btg2 enhances retinoic acid-induced differentiation by modulating histone H4 methylation and acetylation. *Mol Cell Biol*. 26:5023-5032. IMPACT FACTOR: 5.527.
27. Farioli-Vecchioli S, Tanori M, Micheli L, Mancuso M, Leonardi L, Saran A, Ciotti MT, Ferretti E, Gulino A, Pazzaglia S, **Tirone F**. 2007. Inhibition of medulloblastoma tumorigenesis by the antiproliferative and pro-differentiative gene PC3. *FASEB J*. 21:2215-2225. IMPACT FACTOR: 7.049.
28. Farioli-Vecchioli S, Sarauili D, Costanzi M, Pacioni S, Cinà I, Aceti M, Micheli L, Bacci A, Cestari V, and **Tirone F**. (2008) The timing of differentiation of adult hippocampal neurons is crucial for spatial memory. *PLoS Biol* 6(10): e143. IMPACT FACTOR: 11.452
29. Farioli-Vecchioli S, Sarauili D, Costanzi M, Leonardi L, Cinà I, Micheli L, Nutini M, Longone P, Oh SP, Cestari V, and **Tirone F**. (2009). Impaired terminal differentiation of hippocampal granule neurons and defective contextual memory in PC3/Tis21 knockout mice. *PLoS One* 4(12):e8339. IMPACT FACTOR: 4.092
30. Micheli M, Leonardi L, Conti F, Maresca G, Colazingari S, Mattei E, Lira SA, Farioli-Vecchioli S, Caruso M, **Tirone F**. 2011. PC4/Tis7/IFRD1 stimulates skeletal muscle regeneration and is involved in myoblast differentiation as a regulator of MyoD and NF-kB. *J Biol Chem*. 286:5691-5707. Epub 2010 Dec 2. IMPACT FACTOR: 4.773
31. Farioli-Vecchioli S, Micheli L, Sarauili D, Ceccarelli M, Cannas S, Scardigli R, Leonardi L, Cinà I, Costanzi M, Ciotti MT, Moreira P, Rouault JP, Cestari V, **Tirone F**. 2012. Btg1 is Required to Maintain the Pool of Stem and Progenitor Cells of the Dentate Gyrus and Subventricular Zone. *Front Neurosci*. 6:124. Epub 2012.
32. Farioli-Vecchioli S, Cinà I, Ceccarelli M, Micheli L, Leonardi L, Ciotti MT, De Bardi M, Di Rocco C, Pallini R, Cavallaro S, **Tirone F**. 2012. Tis21 knock-out enhances the frequency of medulloblastoma in patched1 heterozygous mice by inhibiting the Cxcl3-dependent migration of cerebellar neurons. *J Neurosci*. 32:15547-15564. IMPACT FACTOR: 7.115
33. Farioli-Vecchioli S, Micheli L, Leonardi L, Ceccarelli M, Cavallaro S and **Tirone F**. 2013. Medulloblastoma or not? Crucial role in tumorigenesis of the timing of migration of cerebellar granule precursor cells, regulated by Nos2 and Tis21. *Front Neurosci*. 6:198.
34. **Tirone F**, Farioli-Vecchioli S, Micheli L, Ceccarelli M, Leonardi L. 2013. Genetic control of adult neurogenesis: interplay of differentiation, proliferation and survival modulates new neurons function, and memory circuits. *Front Cell Neurosci*. 7:59. IMPACT FACTOR: 4.2
35. Pristerà A, Sarauili D, Farioli-Vecchioli S, Strimpakos G, Costanzi M, di Certo MG, Cannas S, Ciotti MT, **Tirone F**, Mattei E, Cestari V, Canu N. (2013). Impact of N-tau on adult hippocampal neurogenesis, anxiety, and memory. *Neurobiol Aging* 34:2551-2563.

36. Farioli-Vecchioli S, Mattera A, Micheli L, Ceccarelli M, Leonardi L, Saraulli D, Costanzi M, Cestari V, Rouault J-P, **Tirone F.** (2014) Running rescues defective adult neurogenesis by shortening the length of the cell cycle of neural stem and progenitor cells. *Stem Cells* 32:1968-1982. doi: 10.1002/stem.1679 IMPACT FACTOR: 7.7
37. Farioli-Vecchioli S, Ceccarelli M, Saraulli D, Micheli L, Cannas S, D'Alessandro F, Scardigli R, Leonardi L, Cinà I, Costanzi M, Mattera A, Cestari V and **Tirone F** (2014). Tis21 is required for adult neurogenesis in the subventricular zone and for olfactory behavior regulating cyclins, BMP4, Hes1/5 and Ids. *Front. Cell. Neurosci.* 8:98. doi: 10.3389/fncel.2014.00098 IMPACT FACTOR: 4.2.
38. Tijchon E, van Emst L, van Ingen Schenau D, Yuniati L, Havinga J, Tirone F, Rouault J-P, Hoogerbrugge PM, van Leeuwen FN, Scheijen B. (2014) Tumor Suppressors Btg1 and Btg2 Regulate B Lineage Commitment through Modulation of Ebf1 Activity. *Blood* 124(21):4311-4311. IMPACT FACTOR: 10.4.
39. Micheli L, Ceccarelli M, Farioli-Vecchioli S, **Tirone F.** (2015) Control of the normal and pathological development of neural Stem and progenitor cells by the PC3/Tis21/Btg2 and Btg1 genes. *J Cell Physiol.* 230:2881-2890. doi:10.1002/jcp.25038. [Epub ahead of print] IMPACT FACTOR: 3.8.
40. Tijchon E, van Ingen Schenau D, van Opzeeland F, **Tirone F,** Hoogerbrugge PM, Van Leeuwen FN, Scheijen B. (2015). Targeted Deletion of Btg1 and Btg2 Results in Homeotic Transformation of the Axial Skeleton. *PLoS One.* 10(7):e0131481. doi: 10.1371/journal.pone.0131481. eCollection 2015. IMPACT FACTOR: 3.2.
41. Ceccarelli M, Micheli L, D'Andrea G, De Bardi M, Scheijen B, Ciotti MT, **Tirone F.** (2015) Altered cerebellum development and impaired motor coordination in mice lacking the Btg1 gene: involvement of cyclin D1. *Dev. Biol.* 408:109-125. IMPACT FACTOR: 3.5.
42. Farioli-Vecchioli S, **Tirone F.** (2015). Control of the cell cycle in adult neurogenesis and its relation with physical exercise. *Brain Plasticity* 1:37–50. DOI 10.3233/BPL-150013. IMPACT FACTOR: N.A.
43. Gentile G, Ceccarelli M, Micheli L, **Tirone F,** Cavallaro S. (2016). Functional genomics identifies Tis21-dependent mechanisms and putative cancer drug targets underlying medulloblastoma Shh-type development. *Front. Pharmacol.* 7:449. doi: 10.3389/fphar.2016.00449. IMPACT FACTOR: 4.2.
44. Ceccarelli M, Micheli L and **Tirone F.** (2016). Suppression of medulloblastoma lesions by forced migration of preneoplastic precursor cells with intracerebellar administration of the chemokine Cxcl3. *Front. Pharmacol.* 7:484. doi: 10.3389/fphar.2016.00484. IMPACT FACTOR: 4.2.
45. Micheli L, D'Andrea G, Leonardi L, and **Tirone F.** (2017). HDAC1, HDAC4, and HDAC9 Bind to PC3/Tis21/Btg2 and Are Required for Its Inhibition of Cell Cycle Progression and Cyclin D1 Expression. *J Cell Physiol.* 232(7):1696-1707. doi: 10.1002/jcp.25467. IMPACT FACTOR: 4.08.
46. Micheli L., Ceccarelli M, Gioia R, D'Andrea G, Farioli-Vecchioli S, Costanzi M, Saraulli D, Cestari V and **Tirone F.** (2017). Terminal differentiation of hippocampal progenitor cells is a step functionally dissociable from proliferation and is controlled by Tis21, Id3 and NeuroD2. *Front Cell Neurosci,* 11:186. doi: 10.3389/fncel.2017.00186. IMPACT FACTOR: 4.55.
47. Mastroianni V, Scopa C, Saraulli D, Costanzi M, Scardigli R, Rouault JP, Farioli-Vecchioli S, **Tirone F.** (2017) Physical exercise rescues defective neural stem cells and neurogenesis in the adult subventricular zone of Btg1 knockout mice. *Brain Struct Funct.* 222(6):2855-2876. doi: 10.1007/s00429-017-1376-4. IMPACT FACTOR: 4.698.
48. Ferrucci V. De Antonellis P., et al., (2018). Metastatic group 3 medulloblastoma is driven by PRUNE1 targeting NME1-TGF- β -OTX2-SNAIL via PTEN inhibition. *Brain* 141(5):1300-1319. doi: 10.1093/brain/awy039. IMPACT FACTOR: 10.767.
49. Presutti D, Ceccarelli M, Micheli L, Papoff G, Santini S, Samperna S, Lalli C, Zentilin L., Ruberti G, **Tirone F.** (2018). *Tis21*-gene therapy inhibits medulloblastoma growth in a murine allograft model. *PloS One* 13(3):e0194206. doi: 10.1371/journal.pone.0194206. IMPACT FACTOR: 3.54.

- 50.** Micheli L, Ceccarelli M, D'Andrea G, Costanzi M, Giacobuzzo G, Coccorello R, Caruso C, **Tirone F.** (2018). Fluoxetine or Sox2 reactivate proliferation-defective stem and progenitor cells of the adult and aged dentate gyrus. *Neuropharmacology* 141:316-330. doi: 10.1016/j.neuropharm.2018.08.023.
- 51.** Micheli L, Ceccarelli M, D'Andrea G, **Tirone F.** (2018). Depression and adult neurogenesis: Positive effects of the antidepressant fluoxetine and of physical exercise. *Brain Res Bull* 143:181-193. doi: 10.1016/j.brainresbull.2018.09.002.
- 52.** Micheli L, D'Andrea G, Ceccarelli M, Ferri A, Scardigli R, **Tirone F.** (2019). p16Ink4a Prevents the Activation of Aged Quiescent Dentate Gyrus Stem Cells by Physical Exercise. *Front Cell Neurosci* 13:10. doi: 10.3389/fncel.2019.00010.
- 53.** Nicolis di Robilant V, Scardigli R, Strimpakos G, **Tirone F**, Middei S, Scopa C, De Bardi M, Battistini L, Sarauli D, Farioli Vecchioli S. (2019). Running-Activated Neural Stem Cells Enhance Subventricular Neurogenesis and Improve Olfactory Behavior in p21 Knockout Mice. *Mol Neurobiol.* 2019 May 6. doi: 10.1007/s12035-019-1590-6.
- 54.** D'Andrea G, Ceccarelli M, Bernini R, Clemente M, Santi L, Caruso C, Micheli L, **Tirone F.** (2020). Hydroxytyrosol stimulates neurogenesis in aged dentate gyrus by enhancing stem and progenitor cell proliferation and neuron survival. *FASEB J.* 34:4512-4526. doi: 10.1096/fj.201902643R.
- 55.** Ceccarelli M, D'Andrea G, Micheli M, **Tirone F.** (2020). Deletion of Btg1 Induces Prmt1-Dependent Apoptosis and Increased Stemness in Shh-Type Medulloblastoma Cells Without Affecting Tumor Frequency. *Front. Oncology*, in press.

H index: 26, citazioni 2470; (1-2020), Scholar Google database. H index: 24, Scopus database.

Brevetto per una nuova terapia del medulloblastoma:

Brevetto CNR: "Cxcl3 chemokine for the therapeutic treatment of medulloblastoma" WO 2014053999 A1; data di pubblicazione 10 apr 2014; data di registrazione 2 ott 2013